

REFERENCES

- [1] ADIMURTHI, Critical points for multiple integrals of the calculus of variations, *Ann. Sc. Norm. Sup. Pisa* **17** (1990), 393–413.
- [2] A. AMBROSETTI, A perturbation theorem for superlinear boundary value problems, *Math. Res. Center, Univ. Wisconsin-Madison, Tech. Sum. Report* **1446** (1974). [4.6](#), [4.32](#)
- [3] A. AMBROSETTI, M. BADIALE, S. CINGOLANI, Semiclassical states of nonlinear Schrödinger equations, *Arch. Ration. Mech. Anal.* **140** (1997), 285–300. [7](#)
- [4] A. AMBROSETTI, G. PRODI, On the inversion of some differentiable mappings with singularities between Banach spaces, *Ann. Mat. Pura Appl.* **93** (1972), 231–247. [5.1](#), [5.6](#)
- [5] A. AMBROSETTI, P.H. RABINOWITZ, Dual variational methods in critical point theory and applications, *J. Funct. Anal.* **14** (1973), 349–381. [1](#), [3.1](#)
- [6] D. ARCOYA, L. BOCCARDO, Critical points for multiple integrals of the calculus of variations, *Arch. Rat. Mech. Anal.* **134** (1996), 249–274. [1](#), [3.1](#), [3.1](#), [3.5](#), [3.5](#), [3.14](#), [3.8](#), [4.1](#), [5.1](#), [5.2](#), [5.13](#), [5.7](#), [6.1](#), [6.1](#), [6.13](#), [6.3](#), [6.3](#), [6.7](#), [6.10](#), [7](#), [7](#)
- [7] ———, Some remarks on critical point theory for nondifferentiable functionals, *NoDEA Nonlinear Differential Equations Appl.* **6** (1999), 79–100. [1](#), [3.5](#), [3.8](#), [7](#), [7](#)
- [8] G. ARIOLI, F. GAZZOLA, Weak solutions of quasilinear elliptic PDE's at resonance, *Ann. Fac. Sci. Toulouse* **6** (1997), 573–589. [3.1](#), [5.1](#)
- [9] ———, Existence and multiplicity results for quasilinear elliptic differential systems, *Comm. Partial Differential Equations* **25** (2000), 125–153 [3.1](#), [3.1](#), [3.3](#), [4.1](#), [4.1](#)
- [10] ———, Quasilinear elliptic equations at critical growth, *NoDEA, Nonlinear Differential Equations Appl.* **5** (1998), 83–97. [6.3](#), [6.3](#), [6.15](#), [6.16](#), [6.7](#)
- [11] ———, Some results on p -Laplace equations with a critical growth term, *Differential Integral Equations* **11** (1998), 311–326. [6.3](#), [6.7](#), [6.7](#), [6.8](#)
- [12] F.V. ATKINSON, L.A. PELETIER, Elliptic equations with nearly critical growth, *J. Differential Equations* **70** (1987), 349–365. [6.9](#)
- [13] J.P. AUBIN, I. EKELAND, Applied Nonlinear Analysis, Wiley-Interscience, New York, 1984. [1](#)
- [14] M. BADIALE, G. CITTI, Concentration compactness principle and quasilinear elliptic equations in \mathbb{R}^n , *Comm. Partial Differential Equations* **16** (1991), 1795–1818. [6.1](#)
- [15] A. BAHRI, H. BERESTYKI, A perturbation method in critical point theory and applications, *Trans. Amer. Math. Soc.* **267** (1981), 1–32. [4.1](#), [4.1](#), [4.5](#), [4.6](#), [4.6](#), [4.9](#), [4.32](#), [4.11](#)
- [16] A. BAHRI, J.M. CORON, On a nonlinear elliptic equation involving the critical Sobolev exponent: the effect of the topology of the domain, *Comm. Pure Appl. Math.* **41** (1988), 253–294. [6.3](#), [6.9](#)
- [17] A. BAHRI, P.L. LIONS, Morse index of some min-max critical points. I. Applications to multiplicity results, *Comm. Pure Appl. Math.* **41** (1988), 1027–1037. [4.1](#), [4.6](#)
- [18] ———, Solutions of superlinear elliptic equations and their Morse indices, *Comm. Pure Appl. Math.* **45** (1992), 1205–1215. [4.1](#), [4.6](#), [4.6](#)
- [19] V. BENCI, G. CERAMI, Positive solutions of some nonlinear elliptic problems in exterior domains, *Arch. Rational Mech. Anal.* **99** (1987), 283–300. [6.2](#)
- [20] H. BERESTYKI, P.L. LIONS, Nonlinear scalar field equation I, existence of a ground state, *Arch. Rat. Mech. Anal.* **82** (1983), 313–346. [6.1](#)
- [21] L. BOCCARDO, The Bensoussan & Co. technique for the study of some critical points problems, Optimal Control and PDE, J.L. Menaldi et al. ed. Book in honour of Professor Alain Bensoussan's 60th birthday, IOS Press (2000). [3.8](#)
- [22] L. BOCCARDO, F. MURAT, Almost everywhere convergence of the gradients of solutions to elliptic and parabolic equations, *Nonlinear Anal.* **19** (1992), 581–597. [3.2](#), [3.6](#), [6.2](#), [6.5](#), [6.11](#)
- [23] L. BOCCARDO, B. PELLACCI, Bounded positive critical points of some multiple integrals of the calculus of variations, *Progr. Nonlinear Differential Equations Appl.* **54**, Birkhäuser, Basel, 2003, 33–51. [3.8](#)
- [24] P. BOLLE, On the Bolza Problem, *J. Differential Equations* **152** (1999), 274–288. [4.6](#), [4.10](#), [4.10](#)
- [25] P. BOLLE, N. GHOUSSOUB, H. TEHRANI, The multiplicity of solutions in nonhomogeneous boundary value problems, *Manuscripta Math.* **101** (2000), 325–350. [4.6](#), [4.6](#), [4.10](#), [4.12](#), [4.12](#)
- [26] H. BREZIS, Problèmes unilatéraux, *J. Math. Pures Appl.* **51** (1972), 1–68. [3.47](#)

- [27] H. BRÉZIS, F.E. BROWDER, Sur une propriété des espaces de Sobolev, *C. R. Acad. Sc. Paris* **287** (1978), 113–115. [3.11](#), [3.11](#)
- [28] H. BRÉZIS, L. NIRENBERG, Positive solutions of nonlinear elliptic equations involving critical Sobolev exponent, *Comm. Pure Appl. Math.* **36** (1983), 437–477. [6.3](#)
- [29] A.M. CANDELA, A. SALVATORE, Multiplicity results of an elliptic equation with non homogeneous boundary conditions, *Topol. Meth. Nonlinear Anal.* **11** (1998), 1–18. [4.6](#), [4.6](#), [4.7](#), [4.21](#)
- [30] A.M. CANDELA, A. SALVATORE, M. SQUASSINA, Multiple solutions for semilinear elliptic systems with nonhomogeneous boundary conditions, *Nonlinear Anal.* **51** (2002), 249–270. [1](#), [4](#)
- [31] A. CANINO, On a jumping problem for quasilinear elliptic equations, *Math. Z.* **226** (1997), 193–210. [5.1](#), [5.1](#), [5.2](#), [5.3](#), [5.3](#), [5.4](#), [5.6](#), [5.9](#)
- [32] ———, On a variational approach to some quasilinear problems, *Serdica Math. J.* **22** (1996), 399–426. [3.1](#), [3.1](#), [4.1](#), [5.1](#)
- [33] ———, Multiplicity of solutions for quasilinear elliptic equations, *Topol. Meth. Nonlinear Anal.* **6** (1995), 357–370. [1](#), [3.1](#), [3.1](#), [3.1](#), [3.3](#), [3.8](#), [3.8](#), [4.1](#), [7](#), [7](#)
- [34] ———, On the existence of three solutions for jumping problems involving quasilinear operators, *Topol. Meth. Nonlinear Anal.* **18** (2001), 1–16. [5.2](#), [5.6](#)
- [35] ———, Variational bifurcation for quasilinear elliptic equations, *Calc. Var. Partial Differential Equations* **18** (2003), 269–286. [1](#)
- [36] A. CANINO, M. DEGIOVANNI, Nonsmooth critical point theory and quasilinear elliptic equations *Topological Methods in Differential Equations and Inclusions*, 1–50 - A. Granas, M. Frigon, G. Sabidussi Eds. - Montreal (1994), NATO ASI Series - Kluwer A.P. (1995). [2](#), [2.2](#), [3.1](#), [3.1](#), [3.2](#), [3.3](#), [3.3](#), [3.8](#), [3.8](#), [3.12](#), [3.14](#), [4.1](#), [4.1](#), [4.3](#), [4.5](#), [4.5](#), [5.1](#), [5.1](#), [6.1](#), [6.1](#), [6.2](#), [6.13](#), [6.3](#), [6.8](#), [7](#), [7](#)
- [37] D. CAO, X. ZHU, The concentration–compactness principle in nonlinear elliptic equations, *Acta Math. Sci.* **9** (1989), 307–328. [6.2](#)
- [38] G. CERAMI, D. FORTUNATO, M. STRUWE, Bifurcation and multiplicity results for nonlinear elliptic problems involving critical Sobolev exponents, *Ann. Inst. Henri Poincaré Anal. Nonlin.* **1** (1984), 341–350. [6.3](#)
- [39] J. CHABROWSKI, Variational methods for potential operator equations, Walter de Gruyter Studies in Mathematics 24, Walter de Gruyter & Co., Berlin - New York, 1997. [1](#)
- [40] J. CHABROWSKI, Weak Convergence Methods for Semilinear Elliptic Equations, World Scientific, Singapore, New Jersey, London, Hong Kong, 1999. [1](#)
- [41] ———, On multiple solutions for the nonhomogeneous p -Laplacian with a critical Sobolev exponent, *Differential Integral Equations*, **8** (1995), 705–716. [6.3](#), [6.3](#), [6.4](#), [6.21](#), [6.26](#), [6.27](#)
- [42] K.C. CHANG, Infinite dimensional Morse theory and multiple solution problems, Progress in Nonlinear Differential Equations and their Applications, 6. *Birkhäuser*, (1993). [1](#)
- [43] ———, Variational methods for nondifferentiable functionals and their applications to partial differential equations, *J. Math. Anal. Appl.* **80** (1981), 102–129. [1](#)
- [44] C.C. CHEN, C.S. LIN, Uniqueness of the ground state solutions of $\Delta u + f(u) = 0$ in \mathbb{R}^N , $N \geq 3$, *Comm. Partial Differential Equations* **16** (1991), 1549–1572. [7](#)
- [45] G. CITTI, Existence of positive solutions of quasilinear degenerate elliptic equations on unbounded domains, *Ann. Mat. Pura Appl.* (4) **158** (1991), 315–330. [6.1](#), [6.1](#), [6.2](#), [6.2](#), [6.12](#)
- [46] M. CLAPP, Critical point theory for perturbations of symmetric functionals, *Comment. Math. Helv.* **71** (1996), 570–593. [4.6](#)
- [47] F.H. CLARKE, I. EKELAND, Nonlinear oscillations and boundary value problems for Hamiltonian systems, *Arch. Rat. Mech. Anal.* **78** (1982), 315–333. [4.6](#)
- [48] M. CONTI, F. GAZZOLA, Positive entire solutions of quasilinear elliptic problems via nonsmooth critical point theory, *Topol. Meth. Nonlinear Anal.* **8** (1996), 275–294. [6.1](#), [6.1](#), [6.1](#), [6.2](#), [7](#), [7](#), [7](#), [8](#), [8.1](#)
- [49] J.N. CORVELLEC, M. DEGIOVANNI, Nontrivial solutions of quasilinear equations via nonsmooth Morse theory, *J. Differential Equations* **136** (1997), 268–293. [3.1](#), [5.1](#)
- [50] J.N. CORVELLEC, M. DEGIOVANNI, M. MARZOCCHI, Deformation properties for continuous functionals and critical point theory, *Topol. Meth. Nonlinear Anal.* **1** (1993), 151–171. [1](#), [2](#), [2.2](#), [2.2](#), [2.2](#), [3.8](#), [6.1](#), [6.3](#), [7](#), [8.3](#)
- [51] V. COTI ZELATI, P. RABINOWITZ, Homoclinic orbits for second order Hamiltonian systems possessing superquadratic potentials, *J. Amer. Math. Soc.* **4** (1991), 693–727. [8.3](#)
- [52] R. COURANT, D. HILBERT, Methods of Mathematical Physics, Vols. I and II, *Interscience*, New York, (1953) and (1962). [4.5](#)
- [53] B. DACOROGNA, Direct methods in the calculus of variations, *Springer Verlag*, (1988). [1](#), [6.12](#)

- [54] G. DAL MASO, F. MURAT, Almost everywhere convergence of gradients of solutions to nonlinear elliptic systems, *Nonlinear Anal.* **31** (1998), 405–412. [3.2](#), [3.12](#), [5.3](#), [5.9](#)
- [55] L. DAMASCELLI, M. RAMASWAMY, Symmetry of C^1 solutions of p -Laplace equations in \mathbb{R}^N , *Adv. Nonlinear Stud.* **1** (2001), 40–64. [8.4](#)
- [56] E.N. DANCER, A note on an equation with critical exponent, *Bull. London Math. Soc.* **20** (1988), 600–602. [6.9](#)
- [57] E. DE GIORGI, Un esempio di estremali discontinui per un problema variazionale di tipo ellittico, *Boll. UMI* **4** (1968), 135–137. [4.6](#)
- [58] M. DEGIOVANNI, M. MARZOCCHI, A critical point theory for nonsmooth functionals, *Ann. Mat. Pura Appl. (6)* **167** (1994), 73–100. [1](#), [2](#), [2.2](#), [2.2](#), [2.2](#), [2.2](#), [3.8](#), [6.1](#), [6.3](#), [7](#)
- [59] M. DEGIOVANNI, A. MUSESTI, M. SQUASSINA, On the regularity of solutions in the Pucci-Serrin identity, *Calc. Var. Partial Differential Equations* **18** (2003), 317–334. [1](#), [7.2](#), [8](#), [8.2](#), [9](#)
- [60] M. DEGIOVANNI, M. MARZOCCHI, V. RĂDULESCU, Multiple solutions of hemivariational inequalities with area-type term, *Calc. Var. Partial Differential Equations* **10** (2000), 355–387. [2.2](#), [3.8](#)
- [61] M. DEGIOVANNI, S. ZANI, Euler equations involving nonlinearities without growth conditions, *Potential Anal.* **5** (1996), 505–512. [3.11](#)
- [62] M. DEL PINO, P. FELMER, Local mountain passes for semilinear elliptic problems in unbounded domains, *Calc. Var. Partial Differential Equations* **4** (1996), 121–137. [7](#), [7](#), [8](#)
- [63] ———, Multi-peak bound states for nonlinear Schrödinger equations, *Ann. Inst. H. Poincaré Anal. Non Linéaire* **15** (1998), 127–149. [7](#), [8](#), [8.1](#), [8.2](#), [8.3](#), [8.3](#), [8.3](#)
- [64] ———, Semi-classical states for nonlinear Schrödinger equations, *J. Functional Anal.* **149** (1997), 245–265. [7](#), [7](#)
- [65] E. DIBENEDETTO, $C^{1,\alpha}$ local regularity of weak solutions of degenerate elliptic equations, *Nonlinear Anal.* **7** (1983), 827–850. [8](#), [8.2](#), [8.2](#)
- [66] G-C. DONG, S. LI, On the existence of infinitely many solutions of the dirichlet problem for some nonlinear elliptic equation, *Univ. of Wisconsin Math. Research Center Teach. Rep.* N02161, Dec. (1980). [4.1](#), [4.1](#), [4.5](#), [4.6](#)
- [67] I. EKELAND, N. GHOUSSOUB, H. TEHRANI, Multiple solutions for a classical problem in the calculus of variations, *J. Differential Equations* **131** (1996), 229–243. [4.6](#)
- [68] A. FLOER, A. WEINSTEIN, Nonspreading wave packets for the cubic Schrödinger equation with a bounded potential, *J. Funct. Anal.* **69** (1986), 397–408. [7](#)
- [69] B. FRANCHI, E. LANCONELLI, J. SERRIN, Existence and uniqueness of ground state solutions of quasilinear elliptic equations, *Springer-Verlag*, New York **1** (1988), 293–300. [6.1](#)
- [70] J. GARCIA AZORERO, I. PERAL ALONSO, Existence and nonuniqueness for the p -Laplacian, *Comm. Partial Differential Equations* **12** (1987), 1389–1430. [6.3](#)
- [71] ———, Multiplicity of solutions for elliptic problems with critical exponent or with a nonsymmetric term, *Trans. Amer. Math. Soc.* **323** (1991), 887–895. [6.3](#)
- [72] ———, On limits of solutions of elliptic problems with nearly critical growth, *Comm. Partial Differential Equations* **17** (1992), 2113–2126. [6.3](#), [6.9](#), [6.10](#)
- [73] F. GAZZOLA, H.-CH. GRUNAU, M. SQUASSINA, Existence and non-existence results for critical growth biharmonic elliptic equations, *Calc. Var. Partial Differential Equations* **18** (2003), 117–143. [6](#)
- [74] N. GHOUSSOUB, Duality and perturbation methods in critical point theory, *Cambridge Tracts in Math.* **107**, Cambridge University Press, Cambridge 1993. [1](#)
- [75] A. GIACOMINI, M. SQUASSINA, Multi-peak solutions for a class of degenerate elliptic equations, *Asymptotic Anal.* **36** (2003), 115–147. [1](#), [8](#)
- [76] M. GIAQUINTA, Multiple integrals in the calculus of variations, *Princeton University Press*, Princeton, (1983). [3.4](#), [3.4](#), [4.6](#)
- [77] B. GIDAS, W.M. NI, L. NIRENBERG, Symmetry of positive solutions of nonlinear elliptic equations in \mathbb{R}^n , Mathematical analysis and applications, Part A, pp. 369–402, *Adv. in Math. Suppl. Stud.*, 7a, *Academic Press*, New York-London, 1981. [7.2](#), [7.12](#)
- [78] A. GROLI, Jumping problems for quasilinear elliptic variational inequalities, *NoDEA, Nonlinear Differential Equations Appl.* **9** (2002), 117–147. [5.6](#), [5.7](#), [5.8](#), [5.8](#), [5.8](#)
- [79] A. GROLI, A. MARINO, C. SACCON, Variational theorems of mixed type and asymptotically linear variational inequalities, *Topol. Meth. Nonlinear Anal.* **12** (1998), 109–136. [5.6](#)
- [80] A. GROLI, M. SQUASSINA, On the existence of two solutions for a general class of jumping problems, *Topol. Meth. Nonlin. Anal.* **21** (2003), 325–344. [1](#), [5](#), [5.6](#), [5.6](#), [5.10](#)
- [81] ———, Jumping problems for fully nonlinear elliptic variational inequalities, *J. Convex Anal.* **8** (2001), 471–488. [1](#), [5](#)

- [82] M. GUEDDA, L. VERON, Quasilinear elliptic problems involving critical Sobolev exponents, *Nonlinear Anal.* **13** (1989), 879–902. [6.9](#), [6.13](#), [9.1](#), [9.5](#)
- [83] L. JEANJEAN, K. TANAKA, A remark on least energy solutions in \mathbb{R}^N , *Proc. Amer. Math. Soc.* **131** (2003), 2399–2408. [7](#), [8](#)
- [84] ———, Singularly perturbed elliptic problems with superlinear or asymptotically linear nonlinearities, preprint, (2002). [7](#)
- [85] H. HOFER, Variational and topological methods in partially ordered Hilbert spaces, *Math. Ann.* **261** (1982), 493–514. [5.6](#)
- [86] A. IOFFE, On lower semicontinuity of integral functionals I, *Siam J. Control Optim.* **15** (1977), 521–538. [5.4](#)
- [87] A. IOFFE, E. SCHWARTZMAN, Metric critical point theory 1. Morse regularity and homotopic stability of a minimum, *J. Math. Pures Appl.* **75** (1996), 125–153. [1](#), [2](#), [2.2](#), [6.1](#)
- [88] G. KATRIEL, Mountain pass theorems and global homeomorphism theorems, *Ann. Inst. H. Poincaré Anal. Non Linéaire* **11** (1994), 189–209. [1](#), [2](#), [2.2](#), [6.1](#)
- [89] J.L. KAZDAN, J. WARNER, Remarks on some quasilinear elliptic equations, *Comm. Pure Appl. Math.* **28** (1975), 567–597. [6.9](#)
- [90] M.C. KNAAP, L.A. PELETIER, Quasilinear elliptic equations with nearly critical growth, *Comm. Partial Differential Equations* **14** (1989), 1351–1383. [6.9](#)
- [91] O.A. LADYZHENSKAYA, N.N. URAL'TSEVA, Linear and Quasilinear Elliptic equations *Nauka Press*, Academic Press, New York, (1968). [3.14](#), [4.6](#), [5.13](#), [7.2](#), [7.3](#), [8.4](#)
- [92] S. LANCELOTTI, Morse index estimates for continuous functionals associated with quasilinear elliptic equations, *Adv. Differential Equations* **7** (2002), 99–128. [1](#)
- [93] S. LANCELOTTI, A. MUSESTI, M. SQUASSINA, Infinitely many solutions for poly-harmonic problems with broken symmetries, *Math. Nachr.* **253** (2003), 35–44. [4](#)
- [94] G. LI, S. YAN, Eigenvalue problems for quasilinear elliptic equations in \mathbb{R}^n , *Comm. Partial Differential Equations.* **14** (1989), 1291–1314. [6.1](#), [8.4](#)
- [95] P. LINDQVIST, On the equation $\operatorname{div}(|\nabla u|^{p-2}\nabla u) + \lambda|u|^{p-2}u = 0$, *Proc. Amer. Math. Soc.* **109** (1990), 157–162. [5.3](#), [5.4](#), [5.9](#)
- [96] P.L. LIONS, The concentration–compactness principle in the calculus of variations. The limit case, part I, *Rev. Matemática Iberoamericana* **1** (1985), 145–201. [6.10](#)
- [97] ———, The concentration–compactness principle in the calculus of variations. The limit case, part II, *Rev. Matemática Iberoamericana* **1** (1985), 45–121. [6.10](#)
- [98] ———, The concentration compactness principle in the calculus of variations. The locally compact case, *Ann. Inst. H. Poincaré Anal. Non Linéaire* **1** (1984), Part I, 109–145. [6.2](#), [8.2](#), [8.3](#)
- [99] A. MARINO, A. MICHELETTI, A. PISTOIA, Some variational results on semilinear elliptic problems with asymptotically nonsymmetric behaviour, *Quaderni Sc. Norm. Sup. Pisa* (1991), 243–256. [5.1](#), [5.6](#)
- [100] A. MARINO, D. PASSASEO, A jumping behavior induced by an obstacle, In M. Gilardi, M. Matzeu and F. Pacella, editors, *Progress in Variational Methods in Hamiltonian Systems and Elliptic Equations*, Pitman (1992), 127–143. [5.6](#)
- [101] A. MARINO, C. SACCON, Some variational theorems of mixed type and elliptic problems with jumping nonlinearities, *Ann. Sc. Norm. Sup. di Pisa*, **25** (1997), 631–665. [5.1](#), [5.6](#)
- [102] A. MARINO, D. SCOLOZZI, Geodesics with obstacles, *Boll. Un. Mat. Ital. B* **2** (1983), 1–31. [1](#)
- [103] M. MARZOCCHI, Multiple solutions of quasilinear equations involving an area-type term, *J. Math. Anal. Appl.* **196** (1995), 1093–1104. [2.2](#), [3.3](#)
- [104] J. MAWHIN, M. WILLEM, Critical point theory and Hamiltonian systems. *Applied Mathematical Sciences*, **74**, Springer-Verlag, New York, (1989). [1](#)
- [105] C. MIRANDA, Alcune osservazioni sulla maggiorazione in $L^p(\Omega)$ delle soluzioni deboli delle equazioni ellittiche del secondo ordine, *Ann. Mat. Pura Appl.* **61** (1963), 151–168. [3.47](#)
- [106] C.B. MORREY, Multiple integrals in the calculus of variations, *Springer*, (1966). [4.8](#)
- [107] J. MOSER, A sharp form of an inequality by N. Trudinger, *Indiana Math. J.* **20** (1971), 1077–1092.
- [108] A. MUSESTI, M. SQUASSINA, Asymptotics of solutions for fully nonlinear problems with nearly critical growth, *Z. Anal. Anwendungen* **21** (2002), 185–201. [1](#), [6](#)
- [109] Y.-G. OH, Existence of semiclassical bound states of nonlinear Schrödinger equations with potentials of the class $(V)_a$, *Comm. Partial Differential Equations* **13** (1988), 1499–1519. [7](#)
- [110] ———, Stability of semiclassical bound states of nonlinear Schrödinger equations with potentials, *Comm. Math. Phys.* **121** (1989), 11–33. [7](#)
- [111] S. PALEARI, M. SQUASSINA, Multiplicity results for perturbed symmetric quasilinear elliptic systems, *Differential Integral Equation* **14** (2001), 785–800. [1](#), [4](#), [4.6](#), [4.6](#), [4.8](#)

- [112] D. PASSASEO, The effect of the domain shape on the existence of positive solutions of the equation $\Delta u + u^{2^*-1} = 0$, *Topol. Meth. Nonlinear Anal.* **3** (1994), 27–54. [6.9](#)
- [113] B. PELLACCI, Critical points for non differentiable functionals, *Boll. Un. Mat. Ital. B* **11** (1997), 733–749. [3.1, 3.1, 3.5, 3.5, 3.6, 3.6, 3.8, 3.8, 4.1, 5.1, 6.1, 6.1, 6.3, 6.3](#)
- [114] ———, Critical points for some functionals of the calculus of variations, *Topol. Meth. Nonlinear Anal.* **17** (2001), 285–305.
- [115] B. PELLACCI, M. SQUASSINA, Existence of unbounded critical points for a class of lower semicontinuous functionals, *J. Differential Equations* **201** (2004), 25–62. [1, 3.8](#)
- [116] S.I. POHOZAEV, Eigenfunctions of the equations $\Delta u + \lambda f(u) = 0$, *Soviet Math. Dokl.* **6** (1965), 1408–1411. [9.1](#)
- [117] P. PUCCI, J. SERRIN, A General Variational Identity, *Indiana Math. J.* **35** (1986), 681–703. [6.3, 7, 7.2, 8, 8.2, 9.1, 9.1, 9.2, 9.7, 9.6, 9.6, 9.6](#)
- [118] P. RABIER, C. STUART, Exponential decay of the solutions of quasilinear second-order equations and Pohozaev identities, *J. Differential Equations* **165** (2000), 199–234. [7.2](#)
- [119] P.H. RABINOWITZ, Critical points of perturbed symmetric functionals, *Trans. Amer. Math. Soc.* **272**, (1982). [2.1, 4.1, 4.1, 4.1, 4.2, 4.5, 4.5, 4.5, 4.6, 4.6, 4.21, 4.9, 4.9](#)
- [120] ———, On a class of nonlinear Schrödinger equations, *Z. Angew. Math. Phys.* **43** (1992), 270–291. [7, 7](#)
- [121] ———, Minimax methods in critical point theory with applications to differential equations, *CBMS Reg. Conf. Series Math.* **65**, Amer. Math. Soc., Providence, R.I. (1986). [1, 3.1, 4.5, 4.6, 4.7](#)
- [122] ———, Variational methods for nonlinear eigenvalue problems. Eigenvalues of non-linear problems (Centro Internaz. Mat. Estivo (C.I.M.E.), III Ciclo, Varenna, 1974), pp. 139–195. Edizioni Cremonese, Rome, 1974. [1](#)
- [123] J. SERRIN, Local behavior of solutions of quasi-linear equations, *Acta Math.* **111** (1964), 247–302. [7.2, 8.2, 8.3, 8.4](#)
- [124] J. SERRIN, M. TANG, Uniqueness of ground states for quasilinear elliptic equations, *Indiana Univ. Math. J.* **49** (2000), 897–923. [8, 8.4](#)
- [125] S. SOLIMINI, Some remarks on the number of solutions of some nonlinear elliptic problems, *Ann. Inst. H. Poincaré Anal. Non Linéaire* **2** (1985), 143–156. [5.1, 5.6](#)
- [126] G. SPRADLIN, A singularly perturbed elliptic partial differential equation with an almost periodic term, *Calc. Var. Partial Differential Equations* **9** (1999), 207–232. [7](#)
- [127] ———, An elliptic equation with spike solutions concentrating at local minima of the Laplacian of the potential, *Electron. J. Differential Equations* (2000), No. 32, 14 pp. [7](#)
- [128] M. SQUASSINA, Two solutions for inhomogeneous fully nonlinear elliptic equations at critical growth, *NoDEA, Nonlinear Differential Equations Appl.* **11** (2004), 53–71. [1, 6](#)
- [129] ———, Multiple critical points for perturbed symmetric functionals associated with quasilinear elliptic problems, *Nonlinear Anal.* **47** (2001), 1605–1616. [1, 4](#)
- [130] ———, Perturbed \mathbb{S}^1 -symmetric Hamiltonian systems, *Applied Math. Letters* **14** (2001), 375–380. [1, 4](#)
- [131] ———, Existence of positive entire solutions for nonlinear elliptic problems, *Topol. Meth. Nonlinear Anal.* **17** (2001), 23–39. [1, 6, 7, 7.1, 8.1](#)
- [132] ———, Spike solutions for a class of singularly perturbed quasilinear elliptic equations, *Nonlinear Anal.* **54** (2003), 1307–1336. [1, 8](#)
- [133] ———, Existence of weak solutions to general Euler’s equations via nonsmooth critical point theory, *Ann. Fac. Sci. Toulouse (6)* **9** (2000), 113–131. [1, 3, 3.8, 3.8, 3.12, 3.12, 3.13, 4.1, 5.1, 5.3, 5.3, 5.3, 6.1, 6.1, 6.2, 6.2, 6.3, 6.3, 6.5, 6.7, 6.8, 6.30, 6.8, 6.9, 6.10, 6.10, 6.11, 7](#)
- [134] ———, Existence of multiple solutions for quasilinear diagonal elliptic systems, *Electron. J. Differential Equations* **14** (1999), 1–12. [1, 3, 4.1, 4.1, 4.3, 4.4, 4.6](#)
- [135] ———, On a class of nonlinear elliptic BVP at critical growth, *Dyn. Contin. Discrete Impuls. Syst. Ser. A Math. Anal.* **10** (2003), 193–208. [1](#)
- [136] G. STAMPACCHIA, Équations elliptiques du second ordre à coefficients discontinus, Séminaire de Mathématiques Supérieures, Les Presses de l’Université de Montréal, Montreal, Que. **16** (1966), 326pp. [3.14, 3.48](#)
- [137] M. STRUWE, Variational methods. Applications to nonlinear partial differential equations and Hamiltonian systems, *Springer*, Berlin (1996). [1, 4.6, 4.7](#)
- [138] ———, Quasilinear elliptic eigenvalue problems, *Comment. Math. Helvetici* **58**, (1983), 509–527. [1, 3.1, 3.1, 3.4, 4.1, 4.1, 4.5, 4.6, 4.6, 5.1](#)
- [139] G. TALENTI, Best constant in Sobolev inequality, *Ann. Mat. Pura Appl.* **110** (1976), 353–372. [6.5, 6.10, 6.11](#)

- [140] K. TANAKA, Morse indices at critical points related to the symmetric mountain pass theorem and applications, *Comm. Partial Differential Equations* **14** (1989), 99–128. [4.6](#), [4.9](#), [4.9](#)
- [141] G. TARANTELO, On nonhomogeneous elliptic equations involving critical Sobolev exponent, *Ann. Inst. H. Poincaré Anal. Non Linéaire*, **9** (1992), 281–304. [6.3](#), [6.3](#)
- [142] P. TOLKSDORF, Regularity for a more general class of quasilinear elliptic equations, *J. Differential Equations* **51** (1984), 126–150. [8](#), [8.2](#), [8.2](#), [9.1](#)
- [143] N. TRUDINGER, On Harnack type inequalities and their application to quasilinear elliptic equations, *Comm. Pure Appl. Math.* **20** (1967), 721–747. [5.2](#), [5.7](#), [6.2](#)
- [144] ———, On imbedding into Orlicz spaces and some applications, *J. Math. Mech.* **17** (1967), 473–484.
- [145] L.S. YU, Nonlinear p -Laplacian problems on unbounded domains, *Proc. Amer. Math. Soc.* **115** (1992), 1037–1045. [6.1](#), [6.12](#)
- [146] A. VISINTIN, Strong convergence results related to strict convexity, *Comm. Partial Differential Equations* **9** (1984), 439–466. [9.2](#)
- [147] X. WANG, On concentration of positive bound states of nonlinear Schrödinger equations, *Comm. Math. Phys.* **153** (1993), 229–244. [7](#)
- [148] M. WILLEM, *Minimax theorems*, Birkhauser Verlag, Basel, 1996. [1](#)
- [149] E. ZEIDLER, *Nonlinear Functional Analysis and its Applications II/A*, Springer-Verlag, New York, 1989. [1](#)
- [150] H.S. ZHOU, Solutions for a quasilinear elliptic equation with critical sobolev exponent and perturbations on \mathbb{R}^n , *Differential Integral Equations* **13** (2000), 595–612. [6.3](#)

MARCO SQUASSINA

DIPARTIMENTO DI MATEMATICA E APPLICAZIONI

UNIVERSITÀ DEGLI STUDI DI MILANO-BICOCCA

VIA R. COZZI 53, I-20125 MILANO, ITALY

E-mail address: marco.squassina@unimib.it